(in accordance with Regulation (EU) 2015/830)



# 1T01030-AGUA DE TOQUE 18K

Version 1 Date of compilation: 13/09/2016

Page 1 of 10 Print date: 01/06/2021 Version 6 (replaces version 5) Revision date: 14/01/2020

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: Product Code:

AGUA DE TOQUE 18K

1T01030

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

**USO INDUSTRIAL** 

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company:

TECHNOFLUX, S.L.

Address:

CTRA. GRANOLLERS - LLIÇA D' AMUNT KM. 2,3

City:

08186 LLICA D' AMUNT

Province: Telephone: **BARCELONA** +34 938417277

E-mail:

tecnoflux@yahoo.es

1.4 Emergency telephone number: +34 938417277 Antonio Diaz (Only available during office hours; Monday-Friday; 08:00-

#### **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Eye Dam. 1: Causes serious eye damage. Ox. Liq. 3: May intensify fire; oxidiser.

Skin Corr. 1A: Causes severe skin burns and eye damage.

#### 2.2 Label elements.

#### Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:





#### Signal Word:

### Danger

#### H statements:

H272 May intensify fire; oxidiser.

Causes severe skin burns and eye damage. H314 H412 Harmful to aquatic life with long lasting effects.

#### P statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray. P260

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

(in accordance with Regulation (EU) 2015/830)



# **1T01030-AGUA DE TOQUE 18K**

Date of compilation: 13/09/2016 Version 1

Page 2 of 10 Print date: 01/06/2021 Version 6 (replaces version 5) Revision date: 14/01/2020

P370+P378 In case of fire: Use... to extinguish.

Contains: nitric acid hydrogen chloride

#### 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
Identifiers			Classification	specific concentration limit
Index No: 007-004- 00-1 CAS No: 7697-37-2 EC No: 231-714-2 Registration No: 01- 2119487297-23-XXXX	[1] nitric acid	65%	Ox. Liq. 3, H272 - Skin Corr. 1A, H314	Skin Corr. 1A, H314: C ≥ 20 % Skin Corr. 1B, H314: 5 % ≤ C < 20 % Ox. Liq. 3, H272: C ≥ 65 %
Index No: 017-002- 00-2 CAS No: 7647-01-0 EC No: 231-595-7 Registration No: 01- 2119484862-27-XXXX	[1] hydrogen chloride	3.5%	Acute Tox. 3, H331 - Eye Dam. 1, H318 - Skin Irrit. 2, H315	-
Index No: 029-004- 00-0 CAS No: 7758-98-7 EC No: 231-847-6 Registration No: 01- 2119520566-40-XXXX	copper sulphate	1.5%	Acute Tox. 4, H302 - Aquatic Chronic 3, H412	-

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

#### **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

## Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

#### Skin contact.

<sup>[1]</sup> Substance with a Community workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2015/830)



# 1T01030-AGUA DE TOQUE 18K

Version 1 Date of compilation: 13/09/2016

Page 3 of 10 Print date: 01/06/2021 Version 6 (replaces version 5) Revision date: 14/01/2020

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

#### **SECTION 5: FIREFIGHTING MEASURES.**

#### 5.1 Extinguishing media.

#### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### **Unsuitable extinguishing media:**

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture.

#### Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

(in accordance with Regulation (EU) 2015/830)



# 1T01030-AGUA DE TOQUE 18K

Version 1 Date of compilation: 13/09/2016

Page 4 of 10 Print date: 01/06/2021 Version 6 (replaces version 5) Revision date: 14/01/2020

#### **SECTION 7: HANDLING AND STORAGE.**

#### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

#### 7.3 Specific end use(s).

Not available.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

#### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
	7697-37-2	European	Eight hours		
		Union [1]	Short term	1	2,6
		United	Eight hours		
		Kingdom [2]	Short term	1	2,6
		Éire [3]	Eight hours		
nitric acid			Short term	1	2,6
Tildic deld		United States	Eight hours	2	
		[4] (Cal/OSHA)	Short term	4	
		United States	Eight hours	2	
		[5] (NIOSH)	Short term	4	
		United States	Eight hours	2	5
		[6] (OSHA)	Short term		
		European	Eight hours	5	8
		Union [1]	Short term	10	15
		United	Eight hours	1	2
		Kingdom [2]	Short term	5	8
		Éire [3]	5	8	
hydrogen chloride	7647-01-0	Life [5]	Short term	10	15
nydrogen chloride	7047-01-0	United States <b>Eig</b>	Eight hours	0.3	(Ceiling) 2
		[4] (Cal/OSHA)	Short term		
		United States	Eight hours	(Ceiling) 5	
		[5] (NIOSH)	Short term		
		United States	Eight hours	(Ceiling) 5	(Ceiling) 7
		[6] (OSHA)	Short term		

<sup>[1]</sup> According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

<sup>[2]</sup> According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

<sup>[3]</sup> According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

<sup>[4]</sup> California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

<sup>[5]</sup> National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

<sup>[6]</sup> Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

(in accordance with Regulation (EU) 2015/830)



# **1T01030-AGUA DE TOQUE 18K**

Date of compilation: 13/09/2016 Version 1

Page 5 of 10 Print date: 01/06/2021 **Version 6 (replaces version 5)** Revision date: 14/01/2020

The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
hydrogen chloride	DNEL	Inhalation, Long-term, Local effects	8 (mg/m <sup>3</sup> )
CAS No: 7647-01-0	(Workers)		
EC No: 231-595-7			

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

Concentration levels PNEC:

Name	Details	Value
	aqua (freshwater)	7,8 (µg/L)
	aqua (marine water)	5,2 (µg/L)
	STP	230 (µg/L)
copper sulphate	sediment (freshwater)	87 (mg/kg
CAS No: 7758-98-7		sediment dw)
EC No: 231-847-6	sediment (marine water)	676 (mg/kg
		sediment dw)
	soil	65 (mg/kg
		soil dw)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

#### 8.2 Exposure controls.

### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	entration: 100 %	
Uses:	USO INDUSTRIAL	
Breathing protection:		
If the recommende	d technical measures are observed, no individual protection equipment is necessary.	
Hand protection:		
If the product is ha	ndled correctly, no individual protection equipment is necessary.	
Eye protection:		
If the product is ha	ndled correctly, no individual protection equipment is necessary.	
Skin protection:		
PPE:	Work footwear.	
Characteristics:	«CE» marking, category II.	
CEN standards:	EN ISO 13287, EN 20347	
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.	
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident	

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

### 9.1 Information on basic physical and chemical properties.

Appearance: Liquid with characteristic odour

Colour: N.A./N.A.

Odour: ACRE SOFOCANTE Odour threshold: N.A./N.A.

pH:N.A./N.A.

Melting point: N.A./N.A. Boiling Point: N.A./N.A. Flash point: N.A./N.A. Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A.

(in accordance with Regulation (EU) 2015/830)



# 1T01030-AGUA DE TOQUE 18K

Date of compilation: 13/09/2016 Version 1

Page 6 of 10 Print date: 01/06/2021 Version 6 (replaces version 5) Revision date: 14/01/2020

Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density: N.A./N.A. Relative density: N.A./N.A. Solubility: N.A./N.A. Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

#### 9.2 Other information.

Dropping point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

## **SECTION 10: STABILITY AND REACTIVITY.**

### 10.1 Reactivity.

If the storage conditions are satisfied, does not produce dangerous reactions.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

May intensify fire; oxidiser.

### 10.4 Conditions to avoid.

Avoid the following conditions:

- Contact with incompatible materials.

### 10.5 Incompatible materials.

Avoid the following materials:

- Flammable materials.
- Explosives materials.
- Toxic materials.
- Corrosive materials.

#### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Oxygen.
- Oxidizing gases or vapors.

#### **SECTION 11: TOXICOLOGICAL INFORMATION.**

#### 11.1 Information on toxicological effects.

There are no tested data available on the product.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) = 33.333 mg/kg

b) skin corrosion/irritation;

Product classified:

(in accordance with Regulation (EU) 2015/830)



# 1T01030-AGUA DE TOQUE 18K

Version 1 Date of compilation: 13/09/2016

Page 7 of 10 Print date: 01/06/2021 Version 6 (replaces version 5) Revision date: 14/01/2020

Skin Corrosive, Category 1A: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

## **SECTION 12: ECOLOGICAL INFORMATION.**

#### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

#### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

#### 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

(in accordance with Regulation (EU) 2015/830)



# 1T01030-AGUA DE TOQUE 18K

Version 1 Date of compilation: 13/09/2016

Page 8 of 10 Print date: 01/06/2021 Version 6 (replaces version 5) Revision date: 14/01/2020

#### **SECTION 14: TRANSPORT INFORMATION.**

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA

for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG. Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number. UN No: UN2031

### 14.2 UN proper shipping name.

Description:

UN 2031, NITRIC ACID, 8 (5.1), PG I, (E) ADR: IMDG: UN 2031, NITRIC ACID, 8 (5.1), PG I ICAO/IATA (Passenger aircraft): PROHIBITED

ICAO/IATA (Cargo aircraft): UN 2031, NITRIC ACID, 8 (5.1), PG I

#### 14.3 Transport hazard class(es).

Class(es): 8

#### 14.4 Packing group.

Packing group: I

#### 14.5 Environmental hazards.

Marine pollutant: No

#### 14.6 Special precautions for user.

Labels: 8, 5.1





Hazard number: 885 ADR LQ: 0 IMDG LQ: 0 ICAO LQ: Not applicable.

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-Q

Proceed in accordance with point 6. IMDG Code segregation group: 1 Acids

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

The product is not transported in bulk.

### **SECTION 15: REGULATORY INFORMATION.**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

(in accordance with Regulation (EU) 2015/830)



# 1T01030-AGUA DE TOQUE 18K

Version 1 Date of compilation: 13/09/2016

Page 9 of 10 Print date: 01/06/2021 **Version 6 (replaces version 5)** Revision date: 14/01/2020

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H412	Harmful to aquatic life with long lasting effects.

#### Classification codes:

Acute Tox. 3 : Acute toxicity (Inhalation), Category 3 Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1: Chronic effect to the aquatic environment, Category 1 Aquatic Chronic 3: Chronic effect to the aquatic environment, Category 3

Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2: Eye irritation, Category 2 Ox. Liq. 3: Oxidising liquid, Category 3 Skin Corr. 1A: Skin Corrosive, Category 1A Skin Irrit. 2 : Skin irritant, Category 2

Changes regarding to the previous version:

- Changes in the information of the supplier (SECTION 1.3).
- Change in the emergency number (SECTION 1.4).
- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Addition of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

European Agreement concerning the International Carriage of Dangerous Goods by Road.

CFN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

PPE: Personal protection equipment. International Air Transport Association. IATA: ICAO: International Civil Aviation Organization.

(in accordance with Regulation (EU) 2015/830)



# **1T01030-AGUA DE TOQUE 18K**

Version 1 Date of compilation: 13/09/2016 Page 10 of 10
Version 6 (replaces version 5) Revision date: 14/01/2020 Print date: 01/06/2021

IMDG: International Maritime Code for Dangerous Goods.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are

not expected in the environmental compartment.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2015/830.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.