

Stands.

SWISS METROLOGIE



MSA	Kg
14.471	5.300

Stand with 520 mm geared column in "Z" with fine adjustment.

Optional :

- MSA14.150-A, arm to detach the screen
- MSA14.471-A, optical head support.

SWISS METROLOGIE



MSA	Kg
14.473	5.300

Stand with 520 mm geared column, transmitted lighting with integrated LED (without zoom support).

SWISS METROLOGIE



MSA	Kg
14.472	18.430

Stand with a horizontal movement and a 370 mm column in "Z" and an arm to detach up to 422 mm.

Optional :

- MSA14.150-A, arm to detach the screen
- MSA14.471-A, optical head support.

Accessories.



MSA		Size	Kg
14.156	(1)	123 x 115 x 150 mm	0.630
14.157	(2)	123 x 115 x 250 mm	0.770

Transparent protective cover for video inspection and measuring systems.



MSA		Length	Kg
14.150-A		500 mm	0.560

Articulated arm for detaching the screen of the camera from the SMV-1 MSA14.150.

Delivered without screen.



MSA		Kg
14.471-A		0.330

Optical head support for stands MSA14.471 and 14.472.



MSA		Length	Kg
14.150-Y		300 mm	0.035

Connection "X" HDMI cable to connect a second external screen for a synchronized picture.

1x male and 2x female.



MSA	Type
14.151-Y2	1 input-2 output
14.151-Y4 (1)	1 input-4 output
14.151-Y8	1 input-8 output

HDMI splitter with amplifier, Full HD signal.



MSA	Type
14.151-W3	2 input-1 output

HDMI switch for distribution of Full HD signal.



MSA	Type
14.151-H1.5 (1)	HDMI, length 1.50 m
14.151-H2	HDMI, length 2 m
14.151-I (2)	HDMI 4K High Speed, length 5 m
14.151-H	HDMI 4K High Speed, length 10 m
14.151-H20	HDMI 4K High Speed, length 20 m

HDMI shielded cable.



MSA
14.150-L

SD Memory card reader.



MSA	Magnification	Kg
14.150-1.5X (1)	1.5x	0.055
14.150-2.0X	2.0x	0.055
14.150-3.0X	3.0x	0.030
14.150-5.0X	5.0x	0.036

Magnifying lens with C-mounting male/female.



MSA

15.614

Measuring table "X-Y" with rotating circular plate in glass for alignment of the parts.

- Travel 50 x 50 mm
- Clamping device for micrometres Ø 18 mm
- For stand MSA14.400.

Delivered without stops (optional).



MSA

Size

Kg

14.150-T

115 x 115 x 15 mm
Ø 95 mm

0.440

Black aluminium table support for transmitted lighting MSA14.150-G.

Delivered without lighting.



MSA

Size of items

Kg

14.447

Base Ø 95 mm
Top plate Ø 75 mm

0.265

Adjustable aluminium table on swivel to observe movements or components under a binocular, a trinocular or an inspection system.

- The base is compatible with the stands of the SwissMetrologie® range
- The top plate is covered with an anti-skid coating MSA14.447-A (replaceable when worn).

Spare part :

MSA

Item

Kg

14.447-A

Anti-skid coating, Ø 70 mm

0.005