(in accordance with Regulation (EU) 2015/830)



2B01050-AGUA DE TOQUE AG

Version 1 Date of compilation: 18/04/2013

Page 1 of 10 Print date: 01/06/2021 Version 8 (replaces version 7) Revision date: 15/04/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: Product Code:

AGUA DE TOQUE AG

2B01050

1.2 Relevant identified uses of the substance or mixture and uses advised against.

TEST AU- AG **USO INDUSTRIAL**

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company:

TECHNOFLUX, S.L.

Address:

CTRA. GRANOLLERS - LLIÇA D' AMUNT KM. 2,3

City:

08186 LLIÇA D' AMUNT

Province: Telephone: BARCELONA +34 938417277

E-mail:

tecnoflux@yahoo.es

1.4 Emergency telephone number: +34 938417277 Antonio Diaz (Only available during office hours; Monday-Friday; 08:00-14:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Eye Dam. 1: Causes serious eye damage.

Resp. Sens. 1: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Corr. 1A: Causes severe skin burns and eye damage.

Skin Sens. 1: May cause an allergic skin reaction.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:





Signal Word:

Danger

H statements:

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

H412 Harmful to aquatic life with long lasting effects.

P statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P284 [In case of inadequate ventilation] wear respiratory protection.

(in accordance with Regulation (EU) 2015/830)



2B01050-AGUA DE TOQUE AG

Version 1 Date of compilation: 18/04/2013

Page 2 of 10 Print date: 01/06/2021 Version 8 (replaces version 7) Revision date: 15/04/2021

Immediately call a POISON CENTER/doctor/... P310 P321

Specific treatment (see ... on this label). If experiencing respiratory symptoms: Call a POISON CENTER/doctor/... P342+P311

Contains: nitric acid Chromic acid

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	specific concentration limit
Index No: 007-004- 00-1 CAS No: 7697-37-2 EC No: 231-714-2 Registration No: 01- 2119487297-23-XXXX	[1] nitric acid	30.999%	Skin Corr. 1A, H314	Skin Corr. 1A, H314: $C \ge 20$ % Skin Corr. 1B, H314: 5 % $\le C$ < 20 % Ox. Liq. 3, H272: $C \ge 65$ %
CAS No: 7738-94-5 EC No: 231-801-5	[1] [4] Chromic acid	1.5%	Acute Tox. 1, H330 - Acute Tox. 3, H301+H311 - Aquatic Chronic 3, H412 - Eye Irrit. 2, H319 - Resp. Sens. 1, H334 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eve contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

^[1] Substance with a Community workplace exposure limit (see section 8.1).

^[4] Substance included in the list established under Article 59, paragraph 1, REACH (Candidate or subject to authorization).

(in accordance with Regulation (EU) 2015/830)

B Technoflux

Page 3 of 10

2B01050-AGUA DE TOQUE AG

Version 1 Date of compilation: 18/04/2013

Version 8 (replaces version 7) Revision date: 15/04/2021 Print date: 01/06/2021

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

It may cause an allergic reaction in the respiratory system. Chronic exposure can lead to asthma.

4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations

6.4 Reference to other sections.

(in accordance with Regulation (EU) 2015/830)



2B01050-AGUA DE TOQUE AG

Date of compilation: 18/04/2013 Version 1

Page 4 of 10 Print date: 01/06/2021 Version 8 (replaces version 7) Revision date: 15/04/2021

For exposure control and individual protection measures, see section 8. For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
	7697-37-2	European	Eight hours		
		Union [1]	Short term	1	2,6
		United	Eight hours		
		Kingdom [2]	Short term	1	2,6
		Éire [3]	Eight hours		
nitric acid			Short term	1	2,6
Tilule acid		United States [4] (Cal/OSHA)	Eight hours	2	
			Short term	4	
		United States [5] (NIOSH)	Eight hours	2	
			Short term	4	
		United States [6] (OSHA)	Eight hours	2	5
			Short term		
Chromic acid	7738-94-5	European	Eight hours		2
Ciliottic acid		Union [1]	Short term		

^[1] According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
----------------	-------

^[2] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

^[3] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA)

^[4] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

^[5] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health,

Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

^[6] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

(in accordance with Regulation (EU) 2015/830)



2B01050-AGUA DE TOQUE AG

Version 1 Date of compilation: 18/04/2013

Page 5 of 10 Print date: 01/06/2021 Version 8 (replaces version 7) Revision date: 15/04/2021

TEST AU- AG Uses: **USO INDUSTRIAL Breathing protection:** If the recommended technical measures are observed, no individual protection equipment is necessary. Hand protection: PPE: Protective gloves. Characteristics: «CE» marking, category II. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or Maintenance: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Observations: Always use with clean, dry hands. Breakthrough time Material thickness Material: PVC (polyvinyl chloride) > 480 0,35 (min.): (mm): Eye protection: PPE: Face shield. «CE» marking, category II. Face and eye protector against splashing liquid. Characteristics: EN 165, EN 166, EN 167, EN 168 CFN standards: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should Maintenance: be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm Observations: vertically once attached to the frame. Skin protection: PPE: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in Characteristics: order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance: the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. PPF. Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should Maintenance: not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any Observations: injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Liquid with characteristic odour

Colour: N.A./N.A. Odour: N.A./N.A.

Odour threshold: N.A./N.A.

pH:N.A./N.A.

Melting point: N.A./N.A. Boiling Point: N.A./N.A. Flash point: N.A./N.A. Evaporation rate: N.A./N.A. Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density: N.A./N.A. Relative density: N.A./N.A. Solubility: N.A./N.A.

(in accordance with Regulation (EU) 2015/830)



2B01050-AGUA DE TOQUE AG

Date of compilation: 18/04/2013 Version 1

Page 6 of 10 Print date: 01/06/2021 Version 8 (replaces version 7) Revision date: 15/04/2021

Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

9.2 Other information.

Dropping point: N.A./N.A.

Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on toxicological effects.

There are no tested data available on the product.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity:

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Dermal) = 20.000 mg/kg

ATE (Oral) = 6.667 mg/kg

b) skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1A: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;

Respiratory sensitiser, Category 1: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitiser, Category 1: May cause an allergic skin reaction.

(in accordance with Regulation (EU) 2015/830)

Technoflux

2B01050-AGUA DE TOQUE AG

Version 1 Date of compilation: 18/04/2013

Page 7 of 10 Print date: 01/06/2021 Version 8 (replaces version 7) Revision date: 15/04/2021

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG. Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA.

(in accordance with Regulation (EU) 2015/830)



2B01050-AGUA DE TOQUE AG

Version 1 Date of compilation: 18/04/2013

Page 8 of 10 Print date: 01/06/2021 Version 8 (replaces version 7) Revision date: 15/04/2021

Transport document: Airway bill.

14.1 UN number. UN No: UN2031

14.2 UN proper shipping name.

Description:

UN 2031, NITRIC ACID, 8 (5.1), PG I, (E) ADR: IMDG: UN 2031, NITRIC ACID, 8 (5.1), PG I ICAO/IATA (Passenger aircraft): PROHIBITED

ICAO/IATA (Cargo aircraft): UN 2031, NITRIC ACID, 8 (5.1), PG I

14.3 Transport hazard class(es).

Class(es): 8

14.4 Packing group.

Packing group: I

14.5 Environmental hazards.

Marine pollutant: No

14.6 Special precautions for user.

Labels: 8, 5.1





Hazard number: 885 ADR LQ: 0 IMDG LQ: 0

ICAO LQ: Not applicable.

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Transport by ship, FEm - Emergency sheets (F - Fire, S - Spills): F-A,S-Q

Proceed in accordance with point 6. IMDG Code segregation group: 1 Acids

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

(in accordance with Regulation (EU) 2015/830)



Page 9 of 10

2B01050-AGUA DE TOQUE AG

Version 1 Date of compilation: 18/04/2013 Print date: 01/06/2021 Version 8 (replaces version 7) Revision date: 15/04/2021

Complete text of the H phrases that appear in section 3:

H272 May intensify fire; oxidiser.

H301+H311 Toxic if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

Causes skin irritation. H315

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Harmful to aquatic life with long lasting effects. H412

Classification codes:

Acute Tox. 2: Acute toxicity (Inhalation), Category 2 Acute Tox. 3: Acute toxicity (Dermal), Category 3 Acute Tox. 3: Acute toxicity (Oral), Category 3

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1: Chronic effect to the aquatic environment, Category 1 Aguatic Chronic 3: Chronic effect to the aguatic environment, Category 3

Eye Dam. 1 : Serious eye damage, Category 1 Ox. Liq. 1: Oxidising liquid, Category 1 Ox. Liq. 3: Oxidising liquid, Category 3 Resp. Sens. 1: Respiratory sensitiser, Category 1 Skin Corr. 1A: Skin Corrosive, Category 1A

Changes regarding to the previous version:

Skin Sens. 1 : Skin sensitiser, Category 1

- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).

- Addition of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CFN: European Committee for Standardization.

PPE: Personal protection equipment. IATA: International Air Transport Association. ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

Regulations Concerning the International Transport of Dangerous Goods by Rail. RID:

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2015/830. Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive

(in accordance with Regulation (EU) 2015/830)

2B01050-AGUA DE TOQUE AG



Date of compilation: 18/04/2013 Version 1

Page 10 of 10 Version 8 (replaces version 7) Revision date: 15/04/2021 Print date: 01/06/2021

1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.